

Safety Data Sheet

Section 1 Material Identification

Trade Name: Neoprene Rapid Build

Material Use: Protective Coating

Emergency Tel #: 1300 144 112

Chemical Family: Water suspension of elastomeric synthetic polymers and inert fillers.

T.D.G. Classification: Non Regulated

Whimis Classification: Non Regulated

Section 2 Composition, Information On Ingredients

Component	Cas#	% (By Mass)	Lc50 (Ppm) (Rat Inh Is60)	Ld50 (Mg/Kg) (Rat Or Is60)
Complex Mixture Of Synthetic Polymers	9003-01-04	40-70	N/A	N/A
Anionic Surfactants	143-19-1	0.5-2.0	N/A	N/A
Inert Miner Fillers	92704-41-4	10-25		
Water	7732-18-5	20-40	N/A	N/A
Ammonia	7664-41-7	0.3 (Max)		

Section 3 Physical Properties

Odour and appearance: Brown liquid, slight ammoniac odour. - **Odour threshold:** n/a - **Specific gravity:** 1.00 (approx.) - **Coefficient of water/oil distribution:** n/a - **Vapour pressure (mm Hg):** 17 at 20 °C (water) - **Boiling point:** 100 °C (water) - **Freezing point:** 0 °C - pH: 10-12 - **Vapour density (air = 1):** >1 - **Evaporation rate (nBuAcetate = 1):** <1 - **Volatiles %:** 20-40 (water) - **Solubility in water:** Completely dispersible

Section 4 Fire & Explosion Data

Means of extinction: n/a - **Sensitivity to mechanical impact/static discharge:** n/a - **Flash point (method):** n/a (non-combustible) - **Upper flammable limits % :** n/a - **Lower flammable limits % :** n/a - **Auto-ignition temperature:** n/a - **Special fire fighting instructions:** n/a - **Unusual fire and explosion hazards:** Product will not burn but may splatter if temperature exceeds the boiling point of water.

Section 5 Reactivity Data

Chemical stability: Stable - **Incompatible materials:** Neoprene Rapid Build is an alkaline product and will react with alkaline sensitive materials such as acids and certain metals. Contact with incompatible chemicals such as acids or multivalent salts may cause coagulation. Do not store in aluminium containers or mix with aluminium implements.

Hazardous decomposition products: To avoid formation of steam, avoid heating above 100 °C (212 °F).

If the product is subjected to elevated temperatures, hazardous vapours can be released once all the water has evaporated. Potential including carbon monoxide, organic acids and aldehydes.

- **Hazardous polymerization:** Will not occur.

Section 6 Health Information

Exposure limit: n/a - **Inhalation:** n/a - **Skin:** Short single exposure is not likely to cause significant skin irritation. Prolonged or repeated exposure may result in slight irritation and redness. A single prolonged exposure is not likely to result in the material being absorbed through the skin in harmful amounts. - **Eyes:** Contact with the eyes will result in irritation. - **Ingestion:** Single dose oral toxicity is considered to be very low. - **Chronic effects:** n/a - **Caution:** Inhalation of vapour or mist can cause headache, nausea and irritation of the eyes, nose, throat and lungs.

Emergency And First Aid Procedures

Inhalation: n/a - **Skin:** This is an alkaline product. If splashed on the skin immediately wash thoroughly with fresh water. If the product has dried on the skin massage the area with medical grade mineral oil, baby oil or edible oil, then wash with soap and water. If irritation persists seek medical attention. - **Eyes:** Flush thoroughly with fresh water for at least ten minutes. Seek medical attention. - **Ingestion:** DO NOT INDUCE VOMITING. Seek medical attention.

Section 7 Spill Procedures

In the event of a spill: Dike and contain, transfer to containers for recovery or disposal. Keep out of sewers. **Waste disposal method:** Follow federal, provincial and local regulations regarding disposal.

Section 8 Special Protection

Respiratory protection: n/a - **Ventilation:** Good general ventilation should be sufficient to control airborne levels of irritating vapors. Local exhaust ventilation may be necessary for some operations. - **Protective gloves:** Recommended - **Eye protection:** Safety glasses/splash goggles recommended - **Other protective equipment:** Long sleeves, loose clothing recommended.

Section 9 Special Precautions

Storage and handling conditions: Keep containers tightly closed when not in use. KEEP FROM FREEZING. **Special shipping information:** Not regulated by the Transportation of Dangerous Goods Regulations. **Prepared by:** Narm Rubber - Preparation date: 22nd February 2017.

The information contained herein is based on available data and is provided for information only. Narm Rubber makes no warranties, guarantees or conditions, expressed or implied, regarding the accuracy of the data or its use therein. Narm Rubber will not be liable for any damages arising from the use of the information or product described on this data sheet.